


2081 Piliscsaba  
10-es főút 27-es km kő (3902/5 hrsz.)

Tel: 06-70-453-5904, 06-70-453-8679  
Fax.: 06-26-355-640


[www.ballusfatelep.hu](http://www.ballusfatelep.hu)

[info@balltom.hu](mailto:info@balltom.hu)


Cikkszám	Méretek (mm)			Erősség	Bruttó fogy. ár (Ft/db)
	A	B	C		




70 904 000	40	40	40	2	60,-
------------	----	----	----	---	------




70 921 000	50	50	35	2,5	80,-
70 924 000	70	70	55	2,5	130,-
70 926 000	105	105	90	3	330,-




70 932 000	90	90	65	2,5	180,-
------------	----	----	----	-----	-------




70 935 000	60	60	40	2,5	90,-
------------	----	----	----	-----	------



70 995 000	80	68	38	2	140,-
------------	----	----	----	---	-------




71 004 000	156	110	32	2	150,-
------------	-----	-----	----	---	-------




<b>71 042 000</b>	50	200	-	2	150,-
<b>71 046 000</b>	80	200	-	2	200,-
<b>71 050 000</b>	100	200	-	2	250,-
<b>71 052 000</b>	100	300	-	2	370,-


Cikkszám	Méretek (mm)			Erősség	Bruttó fogy. ár (Ft/db)
	A	B	C		




<b>71 106 000</b>	50	50	40	2,5	80,-
-------------------	----	----	----	-----	------




<b>70 946 000 J</b>	33	33	170	2	95,-
<b>70 947 000 B</b>	33	33	170	2	95,-




<b>70 971 000</b>	-	50	100	2	350,-
<b>70 973 000</b>	-	70	120	2	670,-
<b>70 975 000</b>	-	100	140	2	420,-




<b>71 989 000 °</b>	-	-	50	4,0	1750,-/dob
---------------------	---	---	----	-----	------------



<b>71 316 000</b>	91	60	102	4	1300,-
<b>71 317 000</b>	101	60	102	4	1300,-
<b>71 318 000</b>	121	60	102	4	1360,-
<b>71 320 000</b>	141	60	102	4	1360,-



<b>71 288 000</b>	91	60	125	5	1050,-
<b>71 289 000</b>	101	60	125	5	1050,-
<b>71 290 000</b>	121	60	125	5	1260,-
<b>71 291 000</b>	141	60	125	5	1260,-




<b>71 325 000</b>	60-140	70	115	5	2560,-
-------------------	--------	----	-----	---	--------


Cikkszám	Méretetek (mm)			Erősség	Bruttó fogy. ár (Ft/db)
	A	B	C		



<b>71 326 000</b>	150/70	70	115	5	3150,-
-------------------	--------	----	-----	---	--------



<b>71 403 000</b>	91	91	900		2880,-
-------------------	----	----	-----	--	--------



2081 Piliscsaba

Tel: 06-70-453-5904, 06-70-453-8679


10-es főút 27-es km kő (3902/5 hrsz.)

Fax.: 06-26-355-640


[www.ballusfatelep.hu](http://www.ballusfatelep.hu)
[info@balltom.hu](mailto:info@balltom.hu)

## Vormann vasalat árlista


Cikkszám	Méretek (mm)			Erősség		
	A	B	C			




70 903 000	40	40	20	2	45,-
70 904 000	40	40	40	2	65,-
70 905 000	50	50	40	2	75,-



70 921 000	50	50	35	2,5	90,-
70 923 000	60	60	45	2,5	130,-
70 924 000	70	70	55	2,5	150,-
70 925 000	90	90	65	2,5	195,-
70 926 000	105	105	90	3	370,-
70 929 000	90	90	40	2,5	145,-




70 931 000	70	70	55	2,5	150,-
70 932 000	90	90	65	2,5	195,-
70 933 000	106	106	90	3	350,-




70 912 000	60	40	60	2,5	200,-
70 913 000	80	60	60	2,5	230,-
70 914 000	100	60	60	2,5	295,-
70 917 000	120	90	40	4	310,-
70 918 000	90	35	40	2,5	120,-
70 919 000	110	35	40	2,5	170,-
70 920 000	140	35	40	2,5	200,-
70 915 000	90	60	60	2,5	270,-
70 916 000	60	35	60	2,5	195,-


Cikkszám	Méreték (mm)			Erősség		
	A	B	C			




70 934 000	40	40	60	2,5	105,-
70 935 000	60	60	40	2,5	105,-
70 936 000	60	60	50	2,5	130,-
70 937 000	60	60	60	2,5	150,-
70 938 000	60	60	80	2,5	195,-
70 940 000	80	80	60	2,5	180,-
70 941 000	80	80	80	2,5	220,-
70 943 000	100	100	60	2,5	285,-
70 944 000	100	100	80	2,5	300,-
70 945 000	100	100	100	2,5	370,-




71 084 000	72	72	40	2	175,-
71 085 000	100	100	40	2	175,-
71 086 000	125	125	40	2	190,-



71 087 000	40	40	100	2	230,-
71 088 000	40	40	160	2	310,-




71 106 000	50	50	40	2,5	105,-
71 107 000	70	70	55	2,5	175,-
71 108 000	90	90	65	2,5	220,-




70 900 000	-	96	35	2,5	85,-
70 901 000	-	116	45	2,5	170,-
70 902 000	-	136	55	2,5	185,-
70 906 000	-	175	65	2,5	230,-
70 907 000	-	204	90	3	435,-
70 909 000	-	180	40	2,5	190,-


Cikkszám	Méreték (mm)			Erősség		
	A	B	C			




70 995 000	80	68	38	2		150,-
70 996 000	160	98	45	2,5		380,-




71 003 000	116	83	30	2		110,-
71 004 000	156	110	32	2		165,-




71 040 000	40	120	-	2		85,-
71 041 000	40	160	-	2		115,-
71 042 000	50	200	-	2		165,-
71 043 000	60	140	-	2		150,-
71 044 000	60	200	-	2		190,-
71 045 000	60	240	-	2		220,-
71 046 000	80	200	-	2		220,-
71 047 000	80	240	-	2		265,-
71 048 000	80	300	-	2		350,-
71 050 000	100	200	-	2		265,-
71 051 000	100	240	-	2		360,-
71 052 000	100	300	-	2		410,-
71 054 000	120	240	-	2		460,-
71 055 000	120	300	-	2		490,-
71 056 000	140	400	-	2		1930,-



71 131 000	40	20	20	2	50m/tek	33250,-
------------	----	----	----	---	---------	---------




71 091 000	200	40	40	2		190,-
71 092 000	300	40	40	2		250,-



71 198 000	100	75	60	6		1160,-
------------	-----	----	----	---	--	--------

Cikkszám	Méreték (mm)			Erősség		
	A	B	C			




70 946 000 J	33	33	170	2	105,-
70 947 000 B	33	33	170	2	105,-
70 948 000 J	33	33	210	2	140,-
70 949 000 B	33	33	210	2	140,-
70 950 000 J	33	33	250	2	310,-
70 951 000 B	33	33	250	2	310,-


70 958 000	36	36	170	2	150,-
70 959 000	36	36	210	2	165,-

**Előnyei:** jobb és bal oldalt egyaránt alkalmazható a tüskének köszönhetően gyorsan rögzíthető részleges kiszögélés esetén is biztosan egyszerű tárolás

Az univerzális szelemen-szarufa összekötőket egymást keresztező gerendáknál lehet alkalmazni, mind jobb mind pedig bal oldalra felütve.




70 970 000	-	40	100	2	340,-
70 971 000	-	50	100	2	385,-
70 972 000	-	60	100	2	340,-
70 973 000	-	70	120	2	730,-
70 973 152	-	75	152	2	625,-
70 974 000	-	80	120	2	410,-
70 975 000	-	100	140	2	460,-
70 976 000	-	120	160	2	810,-
70 977 000	-	140	180	2	870,-




70 982 000	-	60	100	2	335,-
70 983 000	-	70	120	2	775,-
70 984 000	-	80	120	2	430,-
70 985 000	-	100	140	2	485,-

Cikkszám	Méretek (mm)			Erősség		
	A	B	C			




				Ø	
71 988 000 °	-	-	40	4,0	1620,-
71 989 000 °	-	-	50	4,0	1920,-
71 990 000 °	-	-	60	4,0	2230,-
71 992 000 °	-	-	100	4,0	5760,-


° = Ft / doboz



71 292 000	70	60	110	5	645,-
------------	----	----	-----	---	-------



71 294 000	71	60	125	5	1830,-
71 296 000	91	60	125	5	1860,-
71 297 000	101	60	125	5	1995,-
71 298 000	121	60	125	5	2215,-
71 300 000	141	60	125	5	2880,-
71 299 000	70	60	110	5	1440,-



71 314 000	71	60	102	4	1580,-
71 315 000	81	60	102	4	1500,-
71 316 000	91	60	102	4	1540,-
71 317 000	101	60	102	4	1550,-
71 318 000	121	60	102	4	1580,-
71 320 000	141	60	102	4	1665,-




71 280 000	80	80	100	5	2850,-
------------	----	----	-----	---	--------

Ø 20 mm x 200 mm




Cikkszám	Méreték (mm)			Erősség		
	A	B	C			




<b>71 335 000</b>	71	60	600	5	<b>4810,-</b>
<b>71 337 000</b>	91	60	600	5	<b>6155,-</b>
<b>71 338 000</b>	101	60	600	5	<b>4855,-</b>
<b>71 339 000</b>	121	60	600	5	<b>5020,-</b>
<b>71 340 000</b>	116	60	600	5	<b>5085,-</b>
<b>71 342 000</b>	141	60	600	5	<b>5515,-</b>




<b>71 328 000</b>	150/80	70	132	5	<b>2465,-</b>
-------------------	--------	----	-----	---	---------------



<b>71 286 000</b>	71	60	125	5	<b>1130,-</b>
<b>71 287 000</b>	81	60	125	5	<b>1185,-</b>
<b>71 288 000</b>	91	60	125	5	<b>1155,-</b>
<b>71 289 000</b>	101	60	125	5	<b>1185,-</b>
<b>71 290 000</b>	121	60	125	5	<b>1300,-</b>
<b>71 291 000</b>	140	60	125	5	<b>1580,-</b>



<b>71 345 000</b>	215/65	20-90	205	3	<b>3010,-</b>
<b>71 346 000</b>	255/65	70-140	205	3	<b>3180,-</b>




<b>71 312 000</b>	80	-	-	10	<b>5580,-</b>
-------------------	----	---	---	----	---------------




Cikkszám	Méreték (mm)			Erősség		
	A	B	C			




<b>71 332 000</b>	60-140	70	115	5		<b>7720,-</b>
-------------------	--------	----	-----	---	--	---------------



<b>71 333 000</b>	150/70	80/70	70/110	8		<b>7885,-</b>
-------------------	--------	-------	--------	---	--	---------------



<b>71 400 000</b>	71	71	750	2,5		<b>2040,-</b>
<b>71 401 000</b>	71	71	900	2,5		<b>2540,-</b>
<b>71 402 000</b>	91	91	750	2,5		<b>2740,-</b>
<b>71 403 000</b>	91	91	900	2,5		<b>3160,-</b>
<b>71 411 000</b>	71	71	-	-		<b>3160,-</b>
<b>71 412 000</b>	91	91	-	-		<b>3440,-</b>



<b>71 415 000</b>	71	71	-	-		<b>2570,-</b>
<b>71 416 000</b>	91	91	-	-		<b>2780,-</b>

Cikkszám	Méretek (mm)			Erősség		
	A	B	C			




<b>00 065 001 Z</b>	30	38	-	3	<b>280,-</b>
---------------------	----	----	---	---	--------------




<b>00 065 045 Z</b>	45	38	-	2	<b>570,-</b>
<b>75 045 000</b>	45	38	-	2	<b>1570,-</b>



<b>00 072 001 Z</b>	80	10	-	-	<b>1365,-</b>
<b>75 072 000</b>	80	10	-	-	<b>2945,-</b>



<b>00 073 010 Z</b>	85	33	-	3	<b>420,-</b>
---------------------	----	----	---	---	--------------




<b>71 272 000</b>	35	30	40	2	<b>100,-</b>
<b>71 272 000ZF</b>	35	30	40	2	<b>130,-</b>

Cikkszám	Méretek (mm)			Erősség		
	A	B	C			



<b>71 273 000</b>	85	45	15	-		<b>180,-</b>
-------------------	----	----	----	---	--	--------------



<b>00 335 070 Z</b>	71	71	-	2		<b>495,-</b>
<b>00 335 090 Z</b>	91	91	-	2		<b>675,-</b>



<b>00 336 070 Z</b>	71	71	-	2		<b>1050,-</b>
<b>00 336 090 Z</b>	91	91	-	2		<b>1325,-</b>




<b>71 500 000</b>	214	60	50	4		<b>2110,-</b>
-------------------	-----	----	----	---	--	---------------




<b>71 150 048</b>	-	-	48	2		<b>165,-</b>
<b>71 150 062</b>	-	-	62	2		<b>265,-</b>




Cikkszám	Méreték (mm)			Erősség	Csomagolási egység	Nettó ár (Ft/db)
	A	B	C			
<b>00066 300Z</b>	300	40	∅13	5	10	<b>626</b>
<b>00066 500Z</b>	500	40	∅13	5	10	<b>860</b>
<b>00066 800Z</b>	800	40	∅13	5	10	<b>1426</b>



<b>00073 013Z</b>	99	33	∅13		10	<b>443</b>
-------------------	----	----	-----	--	----	------------



<b>00042 125Z</b>	121	68	-	1,5	10	<b>268</b>
<b>00042 150Z</b>	146	68	-	1,5	10	<b>309</b>
<b>00042 200Z</b>	195	88	-	2	10	<b>538</b>



<b>00124 250Z</b>	250/90	33/50		3	10	<b>454</b>
<b>00124 400Z</b>	400/90	33/50		3	10	<b>616</b>